



Sree Chaitanya Mahavidyalaya

Formerly Sree Chaitanya College of Commerce

P.O. : Habra-Prafullanagar, North 24 Parganas, Pin - 743268

Ref. No.

Date :

NOTICE

(Inviting Tenders for Sanitary & Plumbing works in the newly constructed building)

Sealed tenders are invited from eligible contractors, suppliers and service providers for undertaking the under mentioned tasks.

The detail of the work to be done is as follows:

Sl. No.	Name of the Work	Estimated cost of work	Time of completion
1.	Sanitary & Plumbing works at the newly constructed building	As per the requirement	30 days

Terms and Conditions for eligibility:

1. Application for tender must include attested copy of valid GST IN, I.Tax, Trade License, PAN Card and credentials for work done.
2. No quoted price above the cost of work mentioned will be accepted.
3. No extra cost will be borne by the college.
4. The rate should be quoted both in figures as well as in words.
5. No extension of time will be allowed.
6. Payment will be made in favour of the selected bidder in crossed cheque (A/C payee only) on successful completion of works and observation of necessary formalities as the authority deems fit from time to time.
7. The successful bidder has to start of work within 07 days from the date of issue of work order.
8. Acceptance of lowest tender is not obligatory and the undersigned reserves the right to accept or reject any or all the tenders without assigning any reason whatsoever and also to split up the tendered work to more than one contractor in the interest of scheme execution.

Phone : (Principal) 03216-237189; (Office) 03216-237086; Fax : 03216-237189.
E-mail : srchma@gmail.com; Website : www.sreechaitanyamahavidyalaya.ac.in



Sree Chaitanya Mahavidyalaya


Formerly Sree Chaitanya College of Commerce

P.O. : Habra-Prafullanagar, North 24 Parganas, Pin - 743268

Ref. No.

Date :

9. Any supplementary work (if necessary) will be allowed on written order from the office of the undersigned in consultation with the concerned Purchase committee and payment for the same will be made at par with the quoted rate.
10. Security amount should be deposited by the L1 bidder @ 10% of the bidding amount.
11. Time-schedule is as follows:
 - i) Opening date of submission of tender papers: **20.07.2021**
 - ii) Closing date of submission of sealed tender: **03.08.2021**
 - iii) Tentative date and time for opening tender: **04.08.2021 at 12 noon**


Principal

Sree Chaitanya Mahavidyalaya

Principal
Sree Chaitanya Mahavidyalaya
Habra-Prafullanagar, 24 Pgs. (N)

Copy forwarded to:

1. College Website
2. The Convener, Purchase Committee,
3. Head Clerk
4. Ashoknagar Kalyangar Municipality
5. Habra-1 and Habra-2 BDO office

Details of Proposed Sanitary & Plumbing Works

Name of work: - Providing/upgrading Sanitary facilities & Plumbing work of Ground floor annex Building of Sree Chaitanya Mahavidyalaya. Under Ashoknagar Kalyangarh Municipality, Ward No.:- 09, Ashoknagar, North 24 Parganas, (West Bengal).

SL.No.	Description of work	Qty	Unit	Rate	Amounts
1	Supply of PVC pipes & fittings Schedule 80 (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239. Pipes 40 mm	66.000	Mtr		
2	40 mm MTA,	6	Each		
3	40 mm FTA,	4	Each		
4	40 mm Elbow (90°),	22	Each		
5	40 mm Union,	6	Each		
6	40 mm G.I. Plug,	6	Each		
7	40 mm Socket,	10	Each		
8	40 mm Cross Tee,	15	Each		
9	Reducing Tee. 40 mm x 40mm x 25mm,	8	Each		
10	40 mm Ball Valve,	5	Each		
11	40 mm Pipe Clip,	120	Each		
12	Compact Compact Ball Valve	2	Each		
13	Supplying P.V.C. water storage tank of approved quality with closed top with lid (Black) - Multilayer, 2000 Lt.	1	Each		
14	40 mm Tank connecting nipple,	2	Each		
15	Solvent Cement (250 Gr),	22	Each		
16	Supply of UPVC pipes (B Type) & fittings conforming to IS-13592-1992 , (A) (i) Single Socketed 3 Meter Length, (a) 75 mm,	30	Mtr		
17	Supplying, fitting and fixing G.I. pipes of TATA make with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbo, nipple, long screw, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including --- will be made separately)(ii) 15 mm dia. medium quality,	18	Mtr		
18	Supply of G.I. plain tee of approved brand and make. (iii) 25 mm Tee,	6	Each		
19	25 mm G.I. Plug,	6	Each		
20	Supplying, fitting and fixing PVC pipes of approved make of Schedule 80 (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239 (Part - I). with all necessary --- - with approved paint in any position above ground. 25 mm PVC Pipe,	168	Mtr		
21	25 mm Elbu,	35	Each		
22	25 Union,	6	Each		
23	25 mm Tee,	21	Each		
24	25 mm Socket,	26	Each		
25	25mmX15mm M/Elbow,	30	Each		
26	Long Bend (90 Degree),	26	Each		
27	Nipple (75 mm long),	36	Each		
28	Nipple (100 mm long),	36	Each		
29	Nipple (150 mm long),	36	Each		
30	Nipple (200 mm long),	28	Each		
31	Nipple (300 mm long),	24	Each		
32	Compact Compact Ball Valve	6	Each		
33	Threaded End Cap. 25 mm,	12	Each		
34	Reducing Socket (25 mm X 15 mm),	20	Each		
35	Reducing Tee (25mm X 15 mm),	26	Each		
36	25 mm Pipe Clip,	150	Each		

37	Supplying, fitting and fixing in position G.I. pipes of TATA make for underground works with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbow, nipple, short piece etc. including cost of all materials, jointing materials, cutting pipes, making threads, cutting trenches upto 1.5 metre below surface in all sorts of soil and refilling the same as directed with two coats of painting on G.I. pipes and specials with bituminous paint complete in all respect. 15 mm dia. medium quality,	6.00	Mtr		
38	Supplying, fitting and fixing Waste fittings complete. C.P. over brass. 32 mm,	5	Each		
39	Supplying, fitting and fixing approved brand 32 mm dia. P.V.C. waste pipe, with PVC coupling at one end fitted with necessary clamps. 900 mm long,	5	Each		
40	Supplying, fitting and fixing stainless steel sink complete with waste fittings and two coats of painting of C.I. brackets. (a) Sink only,	2	Each		
41	Male threaded adopter. 25 mm,	8	Each		
42	CP Pillar Cock - 15 mm.	12	Each		
43	CP Stop Cock	26	Each		
44	Supplying, fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia. (iii) 900 mm long,	38	Each		
45	Wash basin vitreous china of approved make (without fittings) supplied, fitted and fixed in position on 75mm X 75 mm X 75 mm wood blocks and C.I. brackets including two coats of painting of C.I. brackets.	5	Each		
46	Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of painting to bracket etc.	5	Each		
47	Supply of UPVC pipes (B Type) & fittings conforming to IS-13592-1992. Single Socketed 3 Meter Length. (b) 110 mm,	18	Mtr		
48	Supply of UPVC pipes (B Type) & fittings conforming to IS-13592-1992. Double Socketed 3 Meter Length. 110 mm,	42	Mtr		
49	Supply of UPVC pipes (B Type) & fittings conforming to IS-13592-1992. Double Socketed 1.8 Meter Length. 110 mm,	10.8	Mtr		
50	Supply of UPVC pipes (B Type) & fittings conforming to IS-13592-1992. Double Socketed 1.2 Meter Length. 110 mm,	14.4	Mtr		
51	Supply of UPVC pipes (B Type) & fittings conforming to IS-13592-1992. Fittings (i) Coupler. 110 mm,	6	Each		
52	Plain Tee. 110 mm,	10	Each		
53	Door Tee (LH) & (RH). 110 mm,	5	Each		
54	Door Tee. 110 mm,	5	Each		
55	Bend 87.5°. 110 mm,	10	Each		
56	Vent Cowl. 110 mm,	6	Each		
57	Pipe Clipl. 110 mm,	20	Each		
58	110/110 S Trap,	5	Each		
59	Reducer 110 X 75 mm,	5	Each		
60	Passover. 110 mm,	5	Each		
61	Round Jali,	18	Each		
62	Rubber Ring, 75 mm,	25	Each		
63	Rubber Ring, 110 mm,	30	Each		
64	Supplying, fitting and fixing E.W.C. in white glazed vitreous chinaware of approved make complete in position with necessary bolts, nuts etc. With 'S' trap,	3	Each		
65	(AMBULANT DISABLED TOILET) Supplying, fitting & Fixing EWC (Size- 710x370x810 mm) in white glazed vitreous chinaware of approved make supplying, fitting and fixing in position complete with necessary nut and bolts. (Model Code No. S10221114-P Trap (CRUSE SET) of CERA or equivalent.)	1	Each		
66	Supplying, fitting and fixing 10 litre white glazed vitreous chinaware of approved low-down cistern of approved make with either side or bottom inlet, side overflow, brackets complete with all internal fittings. (Model Code No. S1060106 of CERA or equivalent.)	1	Each		

67	Supplying, fitting and fixing Stainless steel Wall Mounted Hinged hand rail (750X100 mm) covered by Nylon surface with contour finish (for better grip) with two brackets.(Model Code No.B2210108 of CERA or equivalent.)	1	Each		
68	Supplying, fitting and fixing Orissa pattern water closet in white glazed vitreous chinaware of approved make in position complete excluding 'P' or 'S' trap (excluding cost of concrete for fixing).	2	Each		
69	Supplying, fitting and fixing Flat back urinal (half stall urinal) in white vitreous chinaware of approved make in position with brass screws on 75 mm X 75 mm X 75 mm wooden blocks complete.	9	Each		
70	Supplying, fitting and fixing Squating plate with integral flushing in white vitreous chinaware of approved make in cement concrete (6:3:1) with jhama chips complete. (Payment of concrete will be paid seperately).	8	Each		
71	Supplying, fitting and fixing Closet seat of approved make with lid and C.P. hinges, rubber buffer and brass screws complete.	3	Each		
72	Supplying,fitting and fixing 32 mm dia. Flush Pipe of approved make with necessary fixing materials and clamps complete. P-81, It.No.-11(i)	2	Each		
73	Supplying, fitting and fixing soap holder. PTMT (Prayag or equivalent),	5	Each		
74	CP overhead shower	3	Each		
75	Supply of G.I pipes & fittings Schedule 80 (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239. 15 mm,	48	Mtr		
76	Socket, 15 mm dia,	20	Each		
77	Elbow, 15 mm dia.	21	Each		
78	Tee, 15 mm dia.	18	Each		
79	15 mm dia Nipple (100 mm long).	12	Each		
80	15 mm dia Nipple (150 mm long).	12	Each		
81	15 mm dia Nipple (300 mm long).	24	Each		
82	Supply, Fitting & Fixing of Polythene flange.15 mm .	38	Each		
83	Reducing Elbow (mm X mm), 25 X 15.	15	Each		
84	Pipe Clip, 15 mm.	55	Each		
85	Male threaded adopter, 15 mm.	40	Each		
86	Female Tee, 25mmX15mm.	40	Each		
87	Female Elbow 15 mm.	12	Each		
88	Male Elbow 15 mm.	12	Each		
89	Supplying, fitting and fixing Waste fittings complete. 32 mm.	13	Each		
90	Supply of PVC pipes & fittings Schedule 80 (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239.PVC Pipes 50 mm dia.	18	Mtr		
91	Elbow, 50 mm dia.	16	Each		
92	Long Bend (90 Degree) 50 mm.	12	Each		
93	Tee 50 mm.	8	Each		
94	Pipe Clip, 50 mm.	22	Each		
95	Supplying,fitting and fixing approved brand 32 mm dia.P.V.C. waste pipe, with PVC coupling at one end fitted with necessary clamps. (iii) 900 mm long.	6	Each		
96	Supplying,fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia.	6	Each		

Sub Total